



MINING PARTS AUSTRALIA (MPA QLD PTY LTD)




MINING PARTS AUSTRALIA (MPA QLD PTY LTD)

B & K PLASTICS MINING PRODUCTS CATALOGUE



Mining Products Catalogue



Orders and inquiries ph: (07) 5535 2228 email: info@bandkplastics.com.au



NOTES


Brad Coleman

This image shows a full page of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

CONTENTS



REPLACEMENT PARTS	Contents		Fire extinguisher cabinets		STORAGE
	B&K Plastic Segments	4	First aid cabinets	38	
	Slingers	5	Underground Fire depot box	39	
	Drifter slides and holders	5	Water safety bouys	40	
	Feed stops	5	OZ Lokas	41	
	B&K Collars	6	OZ Lokas	42	
	Collector gaskets	6	OZ Lokas	43	
	Hose reels	7	OZ Lokas	44	
	Hose reels	8	OZ Lokas	45	
	Replacement front bumper AD	9	OZ Loka accessories	46	
	Machine buffers	10	Storage and ute boxes	47	WORKSHOP
	Centralising bushes	10	Tool lockers	48	
	Aluminium slide holders	11	Battery boxes	49	
	Polyurethane slide pieces	11	Battery storage	50	
	Slide holder end piece	11	Water tanks	51	
	Polyurethane squares	12	Oil trolleys	52	
	Stainless steel profiles	12	Spill kits	53	
	Solo ropes	13	Spill pallets	54	
	KAB Seating	14	Drum management	55	
	SEARS Seating	15	Mobile trolley tubs	56	
SITE SAFETY	Wheel nut indicators	16	Work platforms	56	MISCELLANEOUS PARTS
	OZ CHOKS	17	Foot pads and bucket blocks	57	
	OZ CHOKS	18	Liquid storage bottles	58	
	OZ CHOK Brackets	19	Liquid storage bottles	59	
	OZ CHOK Brackets	20	Degreasers and corrosion protection	60	
	OZ CHOK Brackets	21	Absorbant materials and		
	Cable crossovers	22	Electrical safe cleaners	61	
	Cable horses	22	Drill chocks	62	
	Cable covers	23	Cable hangers and		
	Folding signs	24	Vent bag clips	63	
	Safety signs	25	Cable stoppers	64	
	Flashing solar lights	26	Hose straps	65	
	Safety cones	27	Truck number plaques	66	
	Safety barriers	28	Hole savers	67	
	Flashing safety lights-Magnetic	29	Engine covers	68	
	Speed humps	29	Machine guards	69	
	Safety flags and mounts	30	Evaporative man coolers	70	
	Fire hose reels	31	PVC Star pickets	71	
	Fire hose reels and cradles	32	Radiator repairs and service	72	
	Fire hose cabinets	33	Hungry Boards	74	
	Hose reel cabinets	34			
	Fire extinguisher brackets	35			
	Fire hose reel trolleys	35			
	Fire hose reel stand	36			



Also available in 80mm for better performance.

50mm BK675

80mm BK850

REPLACEMENT PARTS

B&K Plastic Segments

- Reliable
- Strong
- Long Wearing
- Cost Effective



BK_230 - Atlas Copco



Machine buffers

- B&K Buffers are designed to hold the drill feed in position during drilling. With metal threads inserted in to the hard polyurethane they provide a long wearing support against the rock face.



BK_SLINGER_ST58



BK_SLINGER_ST68



BK_SLINGER_ST68



BK_SLIDE_001



BK_SLIDE_002



BK_SLIDE_003

Slingers

- Slingers are designed for a firm fit on any size drill rod to protect the drifter from water, rocks and cuttings.

Drifter slides and holders

- Drifter slide holders are precision machined from aluminium and provide durable performance with easy to replace slides and keys. B&K stock common sizes and can be manufactured to suit any application.

Feed stops

- Feed Stops are manufactured from speciality materials to cushion heavy loads.



BK_660



BK_COLLAR

B&K Collars

- The B&K Collar is engineered to hold the machine steady during drilling. The hard wearing polyurethane is inserted with strong metal threads for solid fixing to the machine.

Collector gaskets

- Cutting collector gaskets (mud suckers) are designed to protect the machine from mud and cuttings. Custom made to fit each machine.



BK_PLAS_003



BK_PLAS_032



BK_PLAS_002



Hose reels

- The B&K Hose reels are made from hard wearing polyurethane for extended service life and reduction in downtime.

BK_135 (6 REEL)

BK_130 (5 REEL)

BK_979






BK_HOSEREEL

Hose reels

- The B&K Hose reels are made from hard wearing polyurethane for extended service life and reduction in downtime.



BK_40

Replacement front bumper for AD

- Using the original bolting pattern B&K replacement bumpers have steel reinforcement and are built for hard impacts and long wearing.

Machine buffers

- B&K Buffers are designed to hold the drill feed in position during drilling. With metal threads inserted in to the hard polyurethane they provide a long wearing support against the rock face.



BK_146

BK_230



BK_1231

BK_1347

Centralising bushes

- B&K hardened centralizing bushes.



Aluminium slide holders

BKA_400

BKA_518

- Aluminium slide holders can be manufactured to any length to suit your application



Polyurethane slide pieces

BK_89

BK_88

- Polyurethane slide pieces are designed for easy replacement to reduce costly wear to your equipment.

Slide holder end piece

BK_400/518END

- End piece to securely retain the polyurethane slide in the slide holder.





Polyurethane squares

BK_URSQR

- Polyurethane square

Stainless steel profiles

BK_SSPROFILE

- Stainless steel profile

Bucket stop

BK_0734

- Steel reinforced polyurethane bucket stop.



Solo ropes

BK_SOLO

- B&K Feed and return ropes can be custom made to suit a wide range of machines.



REPLACEMENT PARTS



BK_SEALKIT_001

- B&K can produce coat effective custom seal kits for a variety of machines.

KAB Seating

BK_525_KAB

BK_564_KAB



KAB // Seating

KAB Seatings Global Reputation & Experience:

KAB Seatings world leader status comes from the many years of experience we have within seat design, development and manufacture. For over 30 years in Australia and more than 60 years worldwide, KAB Seating products have been synonymous with quality, durability and comfort.

This solid reputation and vast experience combined with state-of-the-art technology and manufacturing techniques, is the reason why KAB Seating products are fitted as original equipment by many major vehicle manufacturers worldwide. Such manufacturers include Caterpillar, Komatsu, Hitachi, Case, Austoft, Massey Ferguson, JCB, Kenworth, Western Star and many more.

Today, KAB Seatings vehicle seating product range incorporates seating for a variety of industries such as: mining, transportation, construction, agricultural, materials handling and marine sectors. Our extensive product range includes a wide range of seating options from static pans to fully fledged air or mechanical suspension seats which include integrated lap, 3 point or harness belts. This extensive range provide optimum comfort, ergonomic support and total customization.

KAB Seating also manufactures a range of premium office seating. This range is primarily designed for 24 hour applications (such as emergency services departments and control rooms). Our KAB Office Seating range is very popular and is used in many 24 hour applications across the world.

SPIRAL WRAP




Spiral wrap is designed to protect hydraulic hose, to wrap around bundles of wire.

Benefits:

- Available on spools usually 25m, other lengths available.
- Quick cost effective method for minimizing production. losses due to hose damage.
- Easy to install.
- Increased life of hydraulic hoses.
- Many colours available including Glow-in-the-Dark
- Fire resistant and anti-static versions available.



SPIRAL WRAP



Wheel nut indicators

BK_21

BK_22

- Routine maintenance and wheel safety checks are assisted by simply viewing the pointer position of each wheel nut indicator. A quick walk around inspection will identify any loose wheel nuts.
- Many other sizes available.





FSP OZCHOKS are designed to fit a wide range of tyre sizes

- Always use an adequate number of chocks as per your risk assessment.
- Always place chocks on solid surface with vehicle stopped / park brake on.
- Always place chocks squarely against the centre of tyre.
- Use contradictory to instructions may cause product failure/personal injury.
- NEVER use damaged chocks.
- NEVER drive over a chock.



Safety Alert: FSP Australia Pty Ltd takes no responsibility for the negligence of users of our OZ CHOKS who do not carry out a safety check to ensure that the chock is intact prior to use.



OZ_CHOK_055

OZ CHOK 055
Product Code: OZCH055
170mm (H) x 290mm (L) x 210mm (W)
Weight: 1.2Kg



OZ_CHOK_065

OZ CHOK 065
Product Code: OZCH065
230mm (H) x 380mm (L) x 280mm (W)
Weight: 4Kg



OZ_CHOK_075

OZ CHOK 075
Product Code: OZCH075
260mm (H) x 560mm (L) x 390mm (W)
Weight: 8Kg



OZ_CHOK_105

OZ CHOK 105
Product Code: OZCH105
280mm (H) x 560mm (L) x 390mm (W)
Weight: 16Kg



OZ_CHOK_155

OZ CHOK 155
Product Code: OZCH155
410mm (H) x 660mm (L) x 420mm (W)
Weight: 18Kg



OKA_CHOK

OKACHOK
Product Code: OKACHOK
950mm (H) x 1150mm (L) x 630mm (W)
Weight: 45Kg

Mounting Brackets for OZ CHOKS

A full range of mounting brackets and trolleys are now available to suit all wheel chock sizes.

- A security retaining strap is to hold the chock in place securely to avoid accidents and injuries
- Easily attached to vehicle using preformed secure points
- Corrosion and rust resistant
- Available in all sizes



CHOCK BRACKET FOR 055

CHOCK Bracket to suit 055
Product Code: OZCHB055
Stainless Steel bracket to suit 55



CHOCK BRACKET FOR 065

CHOCK Bracket to suit 065
Product Code: OZCHB065
Stainless Steel bracket to suit 65



CHOCK BRACKET FOR 075

CHOCK Bracket to suit 075
Product Code: OZCHB075
Galvanised Steel bracket to suit 75



CHOCK BRACKET FOR 105

CHOCK Bracket to suit 105
Product Code: OZCHB105
Galvanised Steel bracket to suit 105



CHOCK BRACKET FOR 155

CHOCK Bracket to suit 155
Product Code: OZCHB155
Galvanised Steel bracket to suit 155



CHOCK STORAGE STAND

Chock Storage Stand
Product Code: OZCHSS




CHOCK STORAGE RACK (TWIN)

Chock Storage Rack (Twin)
Product Code: OZCHSR2

CHOCK STORAGE RACK (QUAD)

Chock Storage Rack (Twin)
Product Code: OZCHSR2



CHOCK TROLLEY_155

155 Trolley
Product Code: OZCHTR155
Stainless Steel 155 Trolley



CHOCK TROLLEY_155 (QUICK RELEASE)

155 Trolley with Chock Release
Product Code: OZCHTQR155B
Stainless Steel 155 Trolley
with Chock Release



Protects electrical cables up to 120mm in diameter during maintenance or emergency operations.

(Not recommended for use by haul trucks)

Durable, UV Stable, Light Weight, Rust Resistant,
Non Corrosive, Impact Resistant



CABLE CROSS OVER BRIDGE 120mm OD

FSP Cable Cross Over Bridge 120mm OD hose

Product Code: CCO120

Dimensions: H 750 mm x W 480 mm x D180mm

Cable Horse

Suspend your electric cables and air lines and prevent them from becoming damaged by placing them on FSP's cable horses. Available in 2 sizes, FSP's Cable Horses are UV stable, light weight and durable.

CABLE HORSE FENCE 450

FSP Cable Horse (Fence)

Product Code: CCF450

470mm Wide x 800mm Height



CABLE HORSE FENCE 900

FSP Cable Horse 900 (Fence)

Product Code: CCF900

900mm Wide x 800mm Height



Cable Covers

Manufactured using polyurethane these cable covers have interlocking clips to make runs as long as you need. This helps to protect cables and hoses against damage from traffic and falling debris.

CABLE COVER

Product Code: CCC
W530mm x L1010mm x H65mm



FSP Rubber Cable Covers

Rubber cable covers are the ideal, economical approach to protecting a variety of small to mid-size cables and hoses. The channels allow for handy segregation of different cable groupings if required.

3 CHANNEL

Product Code: CRCC3
Length: 900mm
Width: 500mm
Height: 75mm

5 CHANNEL

Product Code: CRCC5
Length: 900mm
Width: 500mm
Height: 50mm





FOLDABLE SIGN

Product Code: SSAF



SAFETY SIGN 600

Product Code: SS600
Base: 700mm
Height: 610mm

SAFETY SIGN OPTIONS

Custom text available in either non reflective or Class 2 reflective material.

Colours available: White, Red, Yellow, Blue, Green or Black.

SAFETY SIGN 900

Product Code: SS900
Base: 900mm
Height: 910mm



FLASHING SWL SOLAR LIGHTS

Product Code: SESPB

FSP Solar Beacons are used for delineation purposes and help assist in the identification of many different hazards. Our Beacons are - Dust Proof, Light Sensitive, Solar Powered and can be easily fixed to FSP Safety Signs and Traffic Cones. Run time in excess of 12 hours – charge via energy from sun.

Flashing beacons can be attached to top of safety signs.




SAFETY CONES



Flashing SWL Solar Lights

Stable and light weight. Manufactured in Orange, Yellow, Blue or Green. Heavy Duty Base. Reflective sleeves can be attached for better night visibility. Safety cones are available in 2 sizes. Mine site preferred.



SITE SAFETY

SAFETY CONE_450

Product Code: SCS450
Standard Model

SAFETY CONE_450R

Product Code: SCS450R
Reflective Sleeve Model

SAFETY CONE_700

Product Code: SCS700
Standard Model

SAFETY CONE_700R

Product Code: SCS700R
Reflective Sleeve Model



FSP SAFETY BARRIER

Product Code: SEDF

Dimensions: Length: 2000mm Height: 1200mm Stacking Width: 80mm

Weight: 18Kg (with plastic swivel foot)



SITE SAFETY

- Constructed of high molecular polyethylene, UV stable, resists corrosive elements, lightweight (total weight of 18kg).
- Allows handling by one person, barrier may be joined into a variety of configurations locks together via a locking loop on each end.
- Supplied with a plastic swivel foot.
- Units may be stacked onto a pallet for transportation or against a wall for storage.
- Excellent barrier for delineation or denying pedestrian access to work areas.
- Solar Flashing Light can be mounted to centre of Safety Barrier.

SPEED HUMPS



SPEED HUMPS

B&K plastic can supply a wide variety of high-vis durable speed humps.

SAFETY LIGHT FLASHING

Magnetized Flashing Safety Lights for use on various applications.



Safety Flags are available in lengths tailor made to suit your needs. All of the FSP Flags and Bunting are UV Stable, extremely durable and hardwearing.

SAFETY FLAG 800mm


SAFETY FLAG 1.5M

SAFETY FLAG 2.0M

SAFETY FLAG 2.5M

SAFETY FLAG 3.0M

SAFETY FLAG 3.5M



We offer two piece models for flags above 2.0 metres. This allows for easy storage and transportation.

QUICK RELEASE COUPLING

Product Code:
SFSF



FLEXIBLE MOUNT SPRING

Product Code:
SFSFM



BRASS NUT/CONNECTORS



FIRE HOSE REELS



Australian Design Registration No 129630

- Roto moulded polyethylene drum
- Stainless Steel Swivel Mount and rewind handle available.
- Sealed bearings and stainless steel internal and quad rings
- Can be fixed to the wall or floor using a stainless steel mounting bracket
- 19mm or 25mm Hose Outlet
- Double/single sided cradles available in both Galvanized and Stainless Steel
- Hose Capacity: 50m × 12mm hose, 36m × 19mm hose, 20m × 25mm hose



Heavy Duty Fire Hose Reels



Fire Hose Reel 500
Code: HR500 (19C/25C)
Total Height: 520mm
Reel Height: 180mm
Reel Width: 160mm

Fire Hose Reel 600
Code: HR600 (19C/25C)
Total Height: 600mm
Reel Height: 200mm
Reel Width: 300mm

Fire Hose Reel 700
Code: HR700 (19C/25C)
Total Height: 700mm
Reel Height: 300mm
Reel Width: Adjustable


Cable Reel



Double Sided Fire Hose Cradle



Underground Mobile Hose Reel



Product Code: HRM700/19-25C

- Rotationally moulded polyethylene drums.
- 316 Stainless steel internals.
- Stainless steel rewind handle
- Coated with heavy duty industrial paint.
- Hose capacity of 120m x 19mm or 100m x 25mm. Tested at 2100kpa (300psi) galvanized steel frame.

Single Door Fire Hose Cabinet + S/S Hardware Brackets (Optional Hose Hanger)

Fire Hose Cabinet Combination Includes:

- Cabinet
- S/s hardware brackets
- Galvanized hose hanger stand (mild steel, galvanised or stainless steel).



SITE SAFETY



Fire Hose Reel Cover 36 Product Code: HRC36

- to suit hose reels with up to 36m of 19mm hose



Single Door
Fire Hose Reel Cabinet
Product Code: CFHRSD
H1000mm x D400mm x W850mm



Two Door
Fire Hose Reel Cabinet
Product Code: CFHR
H1060mm x D470mm x W1220mm



Fire Hose Reel Cabinet Base
Product Code: CFHR Base
(To suit CFHR)
500mm x 470mm x 1220mm



Emergency Break Glass Unit
Product Code: CFEBG

HOSE REEL TROLLEY



Fire Hose Reel Trolley

Complete with:

- Heavy Duty Hose Reel
- Gal Cradle (painted Signal Red)
- 4 x 75mm Castors
- Fold Down Handle
- Drum Stop



Australian Design Registration 343094

FSP Safety Extinguisher Bracket for Vehicle



Product Code: FSEBV



DESIGN REG 12170/2012

SITE SAFETY

EFSP Galvanized Hose Reel Stand
(Optional Hose Hanger) Product Code: CFEBG



EXTINGUISHER CABINETS



FSP Fire Extinguisher Cabinets come standard with the viewing window.
OO3 Locks & Break glass are optional extras available on request



Fire Extinguisher Cabinet 250
Product Code: CFE250
515mm x 275mm x 180mm
Fire extinguisher cabinet to hold a 2.5kg fire extinguisher



Fire Extinguisher Cabinet 450
Product Code: CFE450
660mm x 310mm x 310mm
Fire extinguisher cabinet to hold a 4.5kg fire extinguisher



Fire Extinguisher Cabinet 900
Product Code: CFE900
800mm x 310mm x 310mm
Fire extinguisher cabinet to hold a 9kg fire extinguisher

SITE SAFETY



Double Fire Extinguisher Cabinet CFED
800mm x 570mm x 300mm
Single Door
Fire extinguisher cabinet to hold 2 x 9kg fire extinguisher

Our flexibility allows us to offer you a huge range of cabinets in various sizes and colours to suit your particular needs.

- You choose the size and colour, advise us of any wording you may require and we do the rest.
- Where security is an issue we can provide lockable handles (additional cost).

PPE Cabinet
Product Code:
Choose from
CMP1 or CMP2

First Aid Cabinet
Product Code:
Choose from
CMP1 or CMP2

Eye Wash Cabinet
Product Code:
CFE900EW
800 x 310 x 310

Breathing Apparatus Cabinet
Product Code:
CF900BA
800 x 310 x 310



Multi Purpose Cabinet 1
Product Code: CMP1
580 x 250 x 580

Multi Purpose Cabinet 2
Product Code: CMP2
580 x 370 x 580



Cabinet Stands
Order separately.
Stands available to suit CFE and CMP cabinets.

Underground Depot Box

Product Code: CFDU/G

Dimensions: 800 x 790 x 600

Constructed using Marine grade latches, Stainless Steel Piano Hinges, Moulded Hand Grips and Dust Seal.



SITE SAFETY

Also available as a stationary unit.

Key Aspects of the Underground Fire Depot Box:

- Concealed space for anti-tamper seals
- Stainless Steel Carry handles for 2 person operation
- Telescopic Stainless Steel handle for single person placement
- Fixed hardware tray
- Oversized tyres to assist in maneuvering over rough terrain
- UV Stable
- Corrosion Resistant
- Low centre of gravity
- Easy reach to bottom of box
- Can hold 4 x 20lt foam concentrates
- Holds pick up branch pipe and spear
- Your choice of wording
- Can be supplied with your nominated fire fighting mediums
- Robust and Durable



BK_SAFETYBOUY


Water safety buoys with stainless steel bottom eyelet.

All buoys are custom printed to your requirements.


BK_BALLFLOAT_500

500mm Ball float with stainless steel eyelets.

Round bouy for marking or bouancy purposes.




LARGE RANGE OF COLOURS AVAILABLE




OZLOKA®100

1 Door unit stacks 2 doors high
Product Code: OL-100
Weight: 10kg
Door Height: 830mm



OZLOKA®200

2 Door unit stacks 4 doors high
Product Code: OL-200
Weight: 11.5kg
Door Height: 410mm


OZLOKA®250


4 Door unit
Stacks 8 doors high
Product Code:
OL-250
Weight: 15kg
Door Height: 200mm

OZLOKA®300

1 Door unit
Stacks 3 doors high
Product Code:
OL-300
Weight: 6.5kg
Door Height: 625mm

OZLOKA®350

1 Door unit
Stacks 3 doors high
Product Code:
OL-350
Weight: 8kg
Door Height: 625mm



OZLOKA®400

1 Door unit
Stacks 2 doors high
Product Code: OL-400
Weight: 12kg
Door Height 830mm


OZLOKA®450

2 Door unit
Stacks 4 doors high
Product Code: OL-450
Weight: 15kg
Door Height: 410mm

OZLOKA®500

1 Door unit
Stacks 2 doors high
Product Code: OL-500
Weight: 14kg
Door Height 830mm

STORAGE


OZLOKA®550

4 Door unit stacks
8 doors high
Product Code: OL-550.
Weight: 19kg
Door Height: 200mm.

OZLOKA®600

2 Door unit stacks
4 doors high
Product Code: OL-600.
Weight: 13kg
Door Height: 410mm

**OZLOKA®
PIDGEON HOLE**

Product Code: OL-PH500.
Weight: 8kg



OZ LOKA 800

OZLOKA®800

1 Door unit
Product Code: OL-800
Weight: 22kg
Door Height: 1450mm



OZLOKA®1800

1 Door unit
Product Code: OL-1800
Weight: 23kg
Door Height: 1630mm
Unit supplied with hood, base, shelf and coat rail.

OZ LOKA METAL



OZLOKA®METAL

2 Door unit
Product Code: OL-SR62
Weight: 30kg
Door Height(s):
Top: 480mm
Bot: 1090mm

STORAGE



SS NUMBER PLATES

Product Code: OL-NP
Uses Standard 304 Grade
Stainless Steel
316 Grade available upon
request.



WEDGE TOP

Product Code: OL-TOP



KICKER BASE

Product Code: OL-BASE



COMB PAD LOCK

Product Code: OL-CL



L-HANDLE

Product Code: OL-LH



SHELVES

Product Code: OL-SH



DOG BOX

Product Code: TBDB
Height:495mm
Width:497mm
Length: 995mm



OZ BOX 900

Product Code: TBOZB900
Height 500mm
Width 500mm
Depth 900mm



OZ BOX 1200

Product Code:TBOZB1200
Height 800mm
Width 590mm
Depth 1190mm



TOOL LOCKER 2300

Product Code: OLTL2300

Height 2060mm

Depth 930mm

Length 1100mm

Hooded Top 300mm

STORAGE



BATTERY BOXES



- Recessed lockable catches
- Recessed ventilation
- Tie down handles
- Aluminium location strips
- Suitable for forklift use
- Full battery box should only be stacked 2 high.
- Battery box to suit CAT battery.

FIBREGLASS BATTERY BOX

Product Code: BATBOX

Length: 1300mm

Width: 1200mm

Height: 440mm



STORAGE

STAINLESS STEEL BATTERY BOX

Product Code: BATSS



Hot dipped galvanized frame. Cladded with Gal Sheeting. Pitched Roof. Bearing Slides. Stainless steel vents. Roller shutter (Grey). Slide out Draws comes with Handle, Spring Bolts & ACID Logo. Bunded pallets comes with Drain hole. 4 x M20 Hold Down Points.

BATTERY STORAGE BOX

Product Code: BSB
H: 1550mm
W: 1500mm
D: 1200mm



Roller Bearing Draw



Roller Shutter Door



1500 LITRE ROUND WATER TANK

Product Code: WTOZ1500R

1280 (H) x 1420 (W)



3000 LITRE ROUND WATER TANK

Product Code: WTOZ3000R

2180 (H) x 1420 (W)



5000 LITRE ROUND WATER TANK

Product Code: WTOZ5000R

2180 (H) x 1820 (W)



3000 LITRE SLIMLINE WATER TANK

Product Code: WTOZ3000

2150 (H) x 2500 (W) x 785 (D)

- Stainless Steel Fittings
- 350Lt Spill Containment
- 25mm Reclaim Ball Valve
- Foot Jack for braking
- Removable Anti-Skid Work Platform
- Pneumatic tyres for easy maneuverability
- Plug and tap to make oil disposal easy.



OIL TROLLEY 350

Product Code: OILT350
350 Litre Sump Capacity
Length: 1490mm
Width: 900mm
Height: 450mm



Foot jack for braking Included



OIL TROLLEY 50

Product Code: OILT50
50 Litre Sump Capacity
Length: 800mm
Width: 500mm
Height: 140mm



OIL TROLLEY 100

Product Code: OILT100
100 Litre Sump Capacity
Length: 1200mm
Width: 500mm
Height: 190mm

SPILL KITS



100% Organic Product. Works equally well on both land based and water based spills. May be disposed of up to 100kg directly into landfill sites. Non leaching – Spill is retained in product. Non residual – Absorbs 2-3 litres per kilo Synthetic Pads available. Available in 10kg bags. Spill available in various sizes.

Sokerol Oil & Chemical Absorbent
10Kg bag
Product Code: SOK1030



Spill Kit Bag Standard
Product Code: SOK5005

Spill Kit Bag Large
Product Code: SOK5010

Spill Kit Bin 120L
Product Code: SOK6020

Spill Kit Bin 240L
Product Code: SOK6010

Sokerol Absorbent Pads
Product Code: SOK7100



FSP SPILL PALLET 80 LITRE

Product Code: SPILL080

670mm x 670mm x 240mm

Bunded spill pallets designed to hold:

4 x 20 Lt Drum

1 x 200Lt Drums

Sump Capacity: Approx 50L



FSP SPILL PALLET 400 LITRE

Product Code: SPILL400

1300mm x 700mm x 380mm

Bunded spill pallets designed to hold:

2 x 200Lt Drums

Sump Capacity: Approx 200L



FSP SPILL PALLET 600 LITRE

Product Code: SPILL600

1900mm x 700mm x 380mm

Bunded spill pallets designed to hold:

3 x 200Lt Drums

Sump Capacity: Approx 300L



FSP SPILL PALLET 800 LITRE

Product Code: SPILL800

1350mm x 1350mm x 380mm

Bunded spill pallets designed to hold:

4 x 200Lt Drums

Sump Capacity: Approx 390L

DRUM MANAGEMENT SYSTEM

The drum management system meets safety and environmental protection requirements while organising drum storage for maximum efficiency, productivity and cost savings. The design accommodates either 60 or 205 Litre drums of flammable and combustible liquids. UV protected polyethylene construction provides maximum chemical compatibility and resistance preventing corrosion and deterioration, assuring a long lifetime of service. Moulded drum lock channels hold drums in place. Optional strapping can be slipped through hold-down slots for additional safety or transport by forklift. The system consists of three modules: base, stack and dispensing shelf.



WORKSHOP



FSP DRUM COVER
200Litre
Code: SPDC200L
Drum cover to suit 200Lt drums



SPILL CONTAINMENT CADDY
System 200
Code: SPILLCAD200
810 x 1840 x 680mm
Sump Capacity: 205Litres
Load Bearing Capacity: 275Kg



DRUM MANAGEMENT
System 400
Code: SPILLCAD400
1250 x 1500 x 660mm
Sump Capacity: 250 Litres
Load Bearing Capacity: 1350Kg

WORK PLATFORM

This product has been load tested at 500kg.
Sturdy, UV Stable, Light Weight, Non Corrosive,
Moulded non slip
tread, Moulded handles for easy mobility



FSP WORK PLATFORM

Product Code: WP500

Depth: 780mm

Width: 530mm

Height: 480mm

Weight 12kg

MOBILE TROLLEY TUB

The heavy duty plastic construction of the mobile tub makes it versatile and offers a convenient way to store and move those off cuts or discarded packaging etc. Can also be used as a laundry tub.



MOBILE TUB

Product Code: FSP8214

Length: 1000mm

Width: 700mm

Height: 700mm



BK_FOOTPAD

BK_BUCKETBLOCK

B&K Bucket blocks and foot pads are designed to protect workshop floors from heavy machinery damage.

LIQUID STORAGE IBC

- For bulk liquid storage.
- 1000 litres



LIQUID STORAGE BOTTLES

- Durable liquid storage bottle for all workshop liquids. Easy to write on for quick identification of contents.
- 1 litre
- 5 litres
- 10 litres



Drum funnel

The 41008 plastic drum funnel from Alemlube is a heavy duty polyethylene constructed funnel that won't rust or corrode, provides excellent chemical resistance and is supplied standard with a firmly fitting cover ensuring the funnel is kept contaminant free for the next use. The cover is connected to the funnel with a secure safety cable to protect against loss or damage. Designed specifically to screw into all standard 60L and 205L drums, the 41008 drum funnel has a capacity of 8 litres and is ideal for clean and efficient drum filling with its large pouring area and provides a real benefit in minimising fluid and oil spills. The 41008 incorporates an internal heavy duty breather pipe that effectively reduces air bubbles and consequent splashing therefore resulting in easy draining. An inbuilt strainer further ensures that clean fluid enters the drum.

- Easily screws into all standard 60L and 205L drums
- Large 8L capacity
- Removable lid with attached safety cable
- Heavy duty internal breather pipe
- Built in strainer
- Heavy duty polyethylene construction
- Funnel diameter: 285mm
- Funnel cover diameter: 295mm
- Total height of funnel with cover: 335mm
- Net weight: 1.2kg



BK_DJC-201 NF

- **MANTEK DJC-201 NF**
Aerosol cleaner and degreaser for electronic and electrical equipment, leaves no residue.



BK_CLEARSHOT

- **MANTEK CLEAR SHOT**
Clear rubberised coating. A corrosion resistant coating which seals and insulates.



BK_BRAKECLEANER

- **MANTEK PREFERRED BRAKE CLEANER**
Non-Chlorinated solvent for cleaning breaks and parts.

BK_CRC

- **THE ORIGINAL TOOLKIT IN A CAN**
CRC 5-56 is a multi purpose lubricant that has superior penetrating power that breaks through rust and corrosion while it cleans away scale and dirt. Eliminates the need for many disassembly operations. Protects metals against corrosion and displaces moisture to help start wet engines.



BK_ELECTRASAF95

ELECTRA SAF 95

- Solvent degreaser removes grease, oil and grime from electric motors without disassembly.
- Available in 25L, 60L and 205L



BK_SPILLSHARK

SPILL SHARK PETROLEUM

- Spill absorbent. Absorbs a variety of hydrocarbon based product spills including fuels.

Solid, transportable drill chock aids in the elevation of heavy equipment for loading onto floats. These units can be stacked for larger lift heights to reduce the accidental damage to machinery.



DRILL CHOCK

Product Code: OZCHDR

RIPPER CHOCK

Urethane Block for aiding in the replacement of Dozer Ripper Boots. Size – 295mm x 200mm x 300mm. Weight – Approx 18kg





BK_CABLEHANGER

Designed to save time and money, B&K cable hangers are strong and easy to use.



BK_VENTBAGCLIP

Vent Bag clips are manufactured to suit all vent bags and are strong, reliable and easy to use. B&K vent bag clips save tyre punctures and can hold up to 45kg.




BK_CABLESTOPPER_001

BK_CABLESTOPPER_002

Cable stoppers protect the plug from retracting too far causing costly damage and down time.

Cable stoppers are available in one piece (BK_CABLESTOPPER_001) for setting up new cables or where a plug requires complete replacement. For cable maintenance the two piece (BK_CABLESTOPPER_002) is for retro-fitting the stopper where the plug does not require removing.

HOSE STRAPS



BK_STRAP750

BK_STRAP1250



MISCELLANEOUS PARTS

- Rockwell Straps are woven in polypropylene and heat treated for extra strength.
- Metal buckle provides superior grip over standard die-cast buckles.
- Extra loop to retain excess length.
- Available in 750mm and 1250mm.

FSP NUMBER PLAQUE

Product Code: SETNP
Dimensions: 1100 x 1000x19



SINGLE NUMBER PLAQUE

Black Alupanel with Yellow Diamond Grade Reflective lettering.
1000mm x 500mm (Code: SENP10X5)
600mm x 400mm (Code: SENP6X4)
400mm x 400mm (Code: SENP4X4)
400mm x 200mm (Code: SENP4X2)



3 SIDED NUMBER PLAQUE

(with fixing points) 600mm x 600mm
Product Code: SENPTRI



HOLE SAVERS



DRILL HOLE SAVERS

Colour Coded, Non Lock Stacking,
Light Weight with Hand Grip.



FSP Hole Saver 65
Product Code: HS65RN
Width (Base): 195
Height: 400
Width (Top) 60



FSP Hole Saver 200
Product Code: HS200
Width (Base): 450
Height: 800
Width (Top) 200




FSP Hole Saver 75
Product Code: HS075
Width (Base): 190
Height: 410
Width (Top) 75



FSP Hole Saver 250
Product Code: HS250
Width (Base): 480
Height: 800
Width (Top) 250



FSP Hole Saver 160
Product Code: HS250
Width (Base): 330
Height: 800
Width (Top) 160



FSP FIRESAFE ENGINE COVER

Product Code: FSB



Wheel Motor Covers. The flexible nature of polyethelene absorbs rock damage and tyre impact from front end loaders. The flexibility, durability and strength of this cover replaces the old fibreglass cover, however, we still manufacture both types.

FSP WHEEL MOTOR COVER 788

Product Code: WMC788



Fibreglass Guards

- Non corrosive
- Light Weight
- Ergonomic Design
- Custom Made
- Low Maintenance
- Economical
- Stainless Steel Grills & Fittings



FIBREGLASS GUARD

Product Code: WMC788

Made to customers specifications.



36" Portable Evaporative Cooler



36" PORTABLE EVAPORATIVE COOLER

Product Code: HP36BX

Industrial duty fan, 36" Rotationally Moulded Polyethylene, High Efficiency 1/2 HP variable speed. Single phase 240v operation. 240L water tank. Water supply is a standard garden hose. Power supply required is 240volt.


L1610mm x D780mm x H1780mm



**Product Code: SEPLICK**




Manufactured from pvc modified / uv stabilised material. 30% Stronger than normal plastic picket. Patent on unique design. Insulated for electric fencing. Water resistant and anti corrosive. White in colour for high visibility. More forgiving to machinery damage. Standard length is 1.6M. Available in other lengths upon request.

DESIGN REG 13235/2010. PATENT NO D664,668



B&K Plastics are proud partners with major radiator builders and repairers. B&K can offer repair or replacement to large equipment coolers.


- Clean-outs
- Re-cores
- Exchange units
- Heater cores
- Inter-coolers
- Oil coolers
- Fuel tanks



RADIATORS



MISCELLANEOUS PARTS



Hungry Boards have been designed and patented by FSP. Hungry Boards were designed to increase payloads on haul trucks and as well as protect trucks from other hazards on worksites. The Hungry Board range covers side boards, head boards and rock deflectors.

GROUT HOSE



Grout Hose

- Available with fittings or without.